## STIC Biotechnology Systems Branch

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	/0/535,433
Source:	; PG.710
Date Processed by STIC:	5/27/05
<b>2                                    </b>	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 4.2.2 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05): U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/24/05

## Raw Sequence Listing Error Summary

	19/535435 4/4	
ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 79/3 33/7 37	
ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE		
1Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
·2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
5Variable Length	Sequence(s)contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence:  (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)  (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  This sequence is intentionally skipped	
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000	
9Use of n's or Xaa's (NEW RULES)	Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if it is of Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species) <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence	
11Use of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses.  Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.  (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
Patentin 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
13 Misuse of n/Xaa	"n" can only represent a single nucleotide; "Xaa" can only represent a single amino acid	
-	AAC Bistochnology Systems Branch - 09/09/2003	



 $\mathtt{PCT}$ 

RAW SEQUENCE LISTING DATE: 05/27/2005
PATENT APPLICATION: US/10/535,433 TIME: 10:48:09

Input Set : A:\PCT\_GB2003\_004983.ST25.txt
Output Set: N:\CRF4\05272005\J535433.raw

```
3 <110> APPLICANT: University of Warwick
       5 <120> TITLE OF INVENTION: Antibody Secretion
       7 <130> FILE REFERENCE: P708122PCT
C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/535,433
C--> 10 <141> CURRENT FILING DATE: 2005-05-18
     12 <150> PRIOR APPLICATION NUMBER: GB0226878.7
                                                                   Does Not Comply
Corrected Diskette Neede
     13 <151> PRIOR FILING DATE: 2002-11-18
     15 <160> NUMBER OF SEQ ID NOS: 69
     17 <170> SOFTWARE: PatentIn version 3.2
     19 <210> SEQ ID NO: 1
     20 <211> LENGTH: 6
     21 <212> TYPE: PRT
     22 <213> ORGANISM: Artificial sequence
     24 <220> FEATURE:
     25 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     28 <220> FEATURE:
     29 <221> NAME/KEY: MISC_FEATURE
     30 <222> LOCATION: (1)..(1)
     31 <223> OTHER INFORMATION: Asn, His or Leu
     33 <220> FEATURE:
     34 <221> NAME/KEY: MISC FEATURE
     35 <222> LOCATION: (2)..(2)
     36 <223> OTHER INFORMATION: Val or Tyr
     38 <220> FEATURE:
     39 <221> NAME/KEY: MISC FEATURE
     40 <222> LOCATION: (3)..(3)
                                           Ser can only represent Aself. Use Xaa and Applain in Ser can only represent Aself. Use Xaa and Applain in Ser can only represent Aself. Use Xaa and Applain in Ser can be any naturally occurring amino acid Applain services.
     41 <223> OTHER INFORMATION: Ser or Asn
     43 <220> FEATURE:
     44 <221> NAME/KEY: MISC FEATURE
     45 <222> LOCATION: (5)..(5)
                                    An aliphatic amino acid, especially Val or Leu
     46 <223> OTHER INFORMATION;
     48 <220> FEATURE:
     49 <221> NAME/KEY: misc feature
     50 <222> LOCATION: (6)..(6)
     51 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
     53 <400> SEQUENCE: 1/2
W--> 55 Xaa Xaa Xaa Val (Ser) Xaa
     56 1
     59 <210> SEQ ID NO: 2
     60 <211> LENGTH: 6
     61 <212> TYPE: PRT
     62 <213> ORGANISM: Artificial sequence
     64 <220> FEATURE:
```

DATE: 05/27/2005 TIME: 10:48:09

```
Input Set : A:\PCT GB2003 004983.ST25.txt
                     Output Set: N:\CRF4\05272005\J535433.raw
     65 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     67 <400> SEQUENCE: 2
     69 Asn Val Ser Val Ser Val
     70 1
     73 <210> SEQ ID NO: 3
     74 <211> LENGTH: 3
     75 <212> TYPE: PRT
     76 <213> ORGANISM: Artificial sequence
     78 <220> FEATURE:
     79 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     82 <220> FEATURE:
     83 <221> NAME/KEY: MISC FEATURE
     84 <222> LOCATION: (1)..(1)
     85 <223> OTHER INFORMATION: m copies of, independently, any amino acid with the proviso
that
              it is not selected from Ile, Leu or forms the consecutive
              sequence described in SEQ ID:4. In is an integer of at least 2.
     87
     88
              Preferably, m is between 4 and 20, especially 5 to 10.
     90 <220> FEATURE:
     91 <221> NAME/KEY: MISC FEATURE
                                                             sel item 5 on Error Summay
     92 <222> LOCATION: (3)..(3)
     93 <223> OTHER INFORMATION: n copies of any amino acid, the presence of each amino acid
is
              independent of the other(s). n is an integer of 0 to 5.
     94
              Preferably n= 0 or 1, especially 1. This amino acid is most
     95
              preferably Tyr or Ala, especially Ala. Preferably
     98 <220> FEATURE:
     99 <221> NAME/KEY: MISC FEATURE
                                                                                             above
     100 <222> LOCATION: (3)..(3)
     101 <223> OTHER INFORMATION: n copies of any amino acid, the presence of each amino acid
is
     102
               independent of the other(s). n is an integer of 0 to 5.
     103
               Preferably n= 0 or 1, especially 1. This amino acid is most
     104
               preferably Tyr or Ala, especially Ala.
         <400> SEQUENCE: 3
     106
W--> 108 Xaa Cys Xaa
                                  his heeds Aplaration
__ in 62207-62237 section.
     112 <210> SEQ ID NO: 4
     113 <211> LENGTH: 6
     114 <212> TYPE: PRT
     115 <213> ORGANISM: Artificial sequence
                                                          variable lergth

hot permitted
    117 <220> FEATURE:
    118 <223> OTHER INFORMATION: For definition of X at position 1 see SEQ ID: 3
    121 <220> FEATURE:
    122 <221> NAME/KEY: MISC FEATURE
    123 <222> LOCATION: (1)..(1)
    124 <223> OTHER INFORMATION: Asn, His or Leu
    126 <220> FEATURE:
    127 <221> NAME/KEY: MISC FEATURE
    128 <222> LOCATION: (2)..(2)
    129 <223> OTHER INFORMATION: Val or Tyr
    131 <220> FEATURE:
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/535,433

RAW SEQUENCE LISTING DATE: 05/27/2005
PATENT APPLICATION: US/10/535,433 TIME: 10:48:09

Input Set : A:\PCT\_GB2003\_004983.ST25.txt
Output Set: N:\CRF4\05272005\J535433.raw

132 <221> NAME/KEY: MISC FEATURE 133 <222> LOCATION: (3)..(3) Val can only represent itself. Use Xaa liphatic amino acid and lyclam. 134 <223> OTHER INFORMATION: Ser or Asn 136 <220> FEATURE: 137 <221> NAME/KEY: MISC FEATURE 138 <222> LOCATION: (4)..(4) 139 <223> OTHER INFORMATION Any aliphatic amino acid 141 <220> FEATURE: 142 <221> NAME/KEY: misc\_feature 143 <222> LOCATION: (6)..(6) 144 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid 146 <400> SEQUENCE 4 W--> 148 Xaa Xaa Xaa (Val )Ser Xaa 149 1 152 <210> SEQ ID NO: 5 153 <211> LENGTH: 18 154 <212> TYPE: PRT 155 <213> ORGANISM: Artificial sequence 157 <220> FEATURE: 158 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain 161 <220> FEATURE: 162 <221> NAME/KEY: MISC FEATURE 163 <222> LOCATION: (3)..(3) 164 <223> OTHER INFORMATION: Asn, His or Leu. Preferably Leu 166 <220> FEATURE: 167 <221> NAME/KEY: MISC FEATURE 168 <222> LOCATION: (4)..(4) 169 <223> OTHER INFORMATION: Val or Tyr, preferably Val 171 <220> FEATURE: 172 <221> NAME/KEY: MISC FEATURE 173 <222> LOCATION: (5)..(5) 174 <223> OTHER INFORMATION: Ser or Asn 176 <220> FEATURE: 177 <221> NAME/KEY: MISC FEATURE 178 <222> LOCATION: (8)..(8) 179 <223> OTHER INFORMATION: An aliphatic amino acid, preferably Val or Leu 181 <220> FEATURE: 182 <221> NAME/KEY: MISC FEATURE 183 <222> LOCATION: (9)..(9) 184 <223> OTHER INFORMATION: An aliphatic amino acid, preferably Ile, Val or Leu 186 <220> FEATURE: 187 <221> NAME/KEY: MISC FEATURE 188 <222> LOCATION: (10)..(10) 189 <223> OTHER INFORMATION: Met, Val or Leu, preferably Met 191 <220> FEATURE: 192 <221> NAME/KEY: MISC FEATURE 193 <222> LOCATION: (11)..(11) 194 <223> OTHER INFORMATION: Ser or Ala 196 <220> FEATURE:

DATE: 05/27/2005

TIME: 10:48:09

```
Input Set : A:\PCT GB2003 004983.ST25.txt
                     Output Set: N:\CRF4\05272005\J535433.raw
     197 <221> NAME/KEY: MISC FEATURE
     198 <222> LOCATION: (12)..(12)
     199 <223> OTHER INFORMATION: Asp or Glu
     201 <220> FEATURE:
     202 <221> NAME/KEY: MISC_FEATURE
     203 <222> LOCATION: (13)..(13)
     204 <223> OTHER INFORMATION: Any amino acid, preferably Gly, Val, Ala or Thr
     206 <220> FEATURE:
     207 <221> NAME/KEY: MISC FEATURE
     208 <222> LOCATION: (14)..(14)
     200 <222> BOCATION: (147...(147)
209 <223> OTHER INFORMATION: Asp, Glu, Gly, or Ala, preferably Asp
     211 <220> FEATURE:
     212 <221> NAME/KEY: MISC FEATURE
     213 <222> LOCATION: (15)..(15)
     214 <223> OTHER INFORMATION: Gly or Ser, preferably Gly
     216 <220> FEATURE:
     217 <221> NAME/KEY: MISC FEATURE
     218 <222> LOCATION: (16) .. (16)
     219 <223> OTHER INFORMATION: Ile, Thr, Val, Glx or Ala, preferably Ile or Thr
     221 <220> FEATURE:
     222 <221> NAME/KEY: MISC_FEATURE
     223 <222> LOCATION: (18)..(18)
     224 <223> OTHER INFORMATION: May or may not be present and where present is Ala or Tyr.
Most
              preferably, where this amino acid present it is Ala.
     225
     227 <400> SEQUENCE: 5
W--> 229 Pro Thr Xaa Xaa Xaa Val Ser Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
     230 1
                                              10
     233 Cys Xaa
     237 <210> SEQ ID NO: 6
     238 <211> LENGTH: 6
     239 <212> TYPE: PRT
     240 <213> ORGANISM: Artificial sequence
     242 <220> FEATURE:
     243 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     246 <220> FEATURE:
     247 <221> NAME/KEY: MISC FEATURE
     248 <222> LOCATION: (1)..(1)
     249 <223> OTHER INFORMATION: Asn, His or Leu
     251 <220> FEATURE:
     252 <221> NAME/KEY: MISC FEATURE
     253 <222> LOCATION: (2)..(2)
     254 <223> OTHER INFORMATION: Val or Tyr
     256 <220> FEATURE:
     257 <221> NAME/KEY: MISC FEATURE
     258 <222> LOCATION: (3)..(3)
     259 <223> OTHER INFORMATION: Ser or Asn
     261 <220> FEATURE:
     262 <221> NAME/KEY: MISC_FEATURE
     263 <222> LOCATION: (6)..(6)
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/535,433

DATE: 05/27/2005

```
PATENT APPLICATION: US/10/535,433
                                                              TIME: 10:48:09
                     Input Set : A:\PCT GB2003 004983.ST25.txt
                     Output Set: N:\CRF4\05272005\J535433.raw
     264 <223> OTHER INFORMATION: Aliphatic amino acid
     266 <400> SEQUENCE: 6
W--> 268 Xaa Xaa Xaa Val Ser Xaa
     269 1
     272 <210> SEQ ID NO: 7
     273 <211> LENGTH: 28
     274 <212> TYPE: PRT
    275 <213> ORGANISM: Artificial sequence
     277 <220> FEATURE:
     278 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     280 <400> SEQUENCE: 7
     282 Ser Cys Met Val Gly His Glu Ala Leu Pro Met Asn Phe Thr Gln Lys
     286 Thr Ile Asp Arg Leu Ser Gly Lys Pro Ala Cys Tyr
     290 <210> SEQ ID NO: 8
     291 <211> LENGTH: 30
     292 <212> TYPE: PRT
     293 <213> ORGANISM: Artificial sequence
     295 <220> FEATURE:
     296 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     298 <400> SEQUENCE: 8
     300 Ser Cys Met Val Gly His Glu Ala Leu Pro Met Asn Phe Thr Gln Lys
                                              10
     304 Thr Ile Asp Arg Leu Ser Gly Lys Pro Ala Ala Ala Cys Tyr
     305
                     20
     308 <210> SEQ ID NO: 9
     309 <211> LENGTH: 38
     310 <212> TYPE: PRT
     311 <213> ORGANISM: Artificial sequence
     313 <220> FEATURE:
     314 <223> OTHER INFORMATION: Modified targeting signal in the final antibody heavy chain
     316 <400> SEQUENCE: 9
     318 Ser Cys Met Val Gly His Glu Ala Leu Pro Met Asn Phe Thr Gln Lys
     319 1
                                              10
     322 Thr Ile Asp Arg Leu Ser Gly Lys Pro His Ala Ser Thr Pro Glu Pro
     326 Asp Pro Val Ala Cys Tyr
     327
                 35
     330 <210> SEQ ID NO: 10
     331 <211> LENGTH: 27
     332 <212> TYPE: DNA
     333 <213> ORGANISM: Artificial sequence
     335 <220> FEATURE:
     336 <223> OTHER INFORMATION: Synthetic oligonucleotide
     338 <400> SEQUENCE: 10
                                                                                27
     339 ccatcgatgg aatggacctg ggttttt
     342 <210> SEQ ID NO: 11
     343 <211> LENGTH: 27
```

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 05/27/2005
PATENT APPLICATION: US/10/535,433 TIME: 10:48:10

Input Set : A:\PCT\_GB2003\_004983.ST25.txt
Output Set: N:\CRF4\05272005\J535433.raw

## Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,2,3,6/ Seq#:3; Xaa Pos. 1,3/ Seq#:4; Xaa Pos. 1,2,8,6/ Seq#:5; Xaa Pos. 1,4,5,8,0,10,11,12,13,14,15,16,18/ Seq#:6; Xaa Pos. 1,2,3,6 VERIFICATION SUMMARY

PATENT APPLICATION: US/10/535,433

DATE: 05/27/2005 TIME: 10:48:10

Input Set : A:\PCT GB2003 004983.ST25.txt Output Set: N:\CRF4\05272005\J535433.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application Number

L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:55 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0 L:108 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0

L:148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0

L:229 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0

M:341 Repeated in SeqNo=5

L:268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0